

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	("6031243").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 17:20
L6	37749	"341"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:35
L7	1697	L6 and (sigma near delta)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:35
L8	11	L7 and thyristor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:35
L9	23	thyristor\$1 and (sigma near delta)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:35
L10	5	L9 and (optic\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:35
L11	1807	(341/143).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:35
L12	1391	L11 and converter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:36
L13	1	L11 and thyristor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:36
L14	1080	L11 and (delta near sigma)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:36

L15	22	L14 and (conver\$5 with optic\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:36
L16	1605	thyristor\$1 and (digital near3 analog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:36
L17	758	L16 and resistor\$1 and capacitor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:36
L18	538	L17 and amplifi\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:36
L19	1510	thyristor\$1 and (digital near2 analog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:36
L20	708	L19 and resistor\$1 and capacitor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:36
L21	510	L20 and amplifi\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:36
L22	22	L21 and (conver\$5 with optic\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:36
L23	22	L21 and (conver\$5 with optic\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:36
L24	23	thyristor\$1 and (sigma near delta)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:36
L25	2	thyristor\$1 and (sigma near delta) and inject\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/08 17:36

L26	2470	((341/133) or (341/137) or (341/143)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 17:36
L27	3	L26 and thyristor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 17:37
L28	231	(341/137).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 17:37
S1	36822	"341"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 12:26
S2	1545	S1 and (sigma near delta)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 12:35
S3	11	S2 and thyristor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 12:27
S4	21	thyristor\$1 and (sigma near delta)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 14:54
S5	4	S4 and (optic\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 12:47
S6	2	("20020150368").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 13:27
S7	1693	(341/143).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 13:27

S8	1281	S7 and converter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 13:28
S9	1	S7 and thyristor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 13:29
S10	986	S7 and (delta near sigma)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 13:32
S11	20	S10 and (conver\$5 with optic\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 13:33
S12	21	thyristor\$1 and (sigma near delta)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 14:09
S13	1536	thyristor\$1 and (digital near3 analog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 14:55
S14	728	S13 and resistor\$1 and capacitor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 14:56
S15	521	S14 and amplifi\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 14:56
S16	1445	thyristor\$1 and (digital near2 analog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 14:55
S17	681	S16 and resistor\$1 and capacitor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 14:56
S18	495	S17 and amplifi\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 14:57

S19	22	S18 and (conver\$5 with optic\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 14:57
S20	22	S18 and (conver\$5 with optic\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 14:57
S21	21	thyristor\$1 and (sigma near delta)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 16:11
S22	2	thyristor\$1 and (sigma near delta) and inject\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/10 16:13
S23	2470	((341/133) or (341/137) or (341/143)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 16:24
S24	3	S23 and thyristor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 16:23
S25	231	(341/137).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 16:24

EAST
text search

SP
7/1/05